



Motorola Wireless Modules G24-Lite GSM/GPRS Module Release notes

Updated on:

23 September 2007

Last SW version:

G24-L SW 4-0.224-000

Document version:

1.0



History

Document version	Date	Update reason
1.0	23 Sept. 2007	Creation

Table of content

Software versions & Generic sales models.....	3
G24-L SW 4-0.224-000	4

List of tables

Table 1: Generic Sales Models	3
-------------------------------------	---



Software versions & Generic sales models

Model Naming Convention –

F67VWXYZ

F67 Fixed number designating G24-L and G24-LC

V Model dependant features.

V=0 Basic Quad band GPRS G24-L & G24-LC version.

W Charger capability

W=0 No Charger capability

W=2 Charger capability available

X Flex version

X=A Basic flex settings file.

Y HW version

Y=A First version

Z SW version

Z=A Software version 4-0.224

Table 1: Generic Sales Models

Model #	SW Version	SVN	Notes
F6700AAA	G24-L SW 4-0.224-000	0x21	NA/ROW
F6702AAA	G24-L SW 4-0.224-000	0x21	NA/ROW



G24-L SW 4-0.224-000

Motorola M2M Wireless Modules are proud to present the latest addition the G24 product family, the G24-Lite module.

G24-Lite is a GSM/GPRS Quad-band RoHS compliant product supporting the right set of features at the right price tag that enables you to go large scale with your M2M applications.

The G24-Lite is fully type approved and complies with strict quality standards. The module supports GSM 07.05 and GSM 07.07 AT command sets as well as a set of various Motorola proprietary commands – Full details can be found in the AT commands reference manual. The product supports 2 basic configurations, G24-L and G24-LC (C stands for charger capability).

Amongst the features that will be available in future releases:
Internal TCP/IP stack, 115200 baud rate in RS232, GSM 07.10 – MUX protocol, Cell Broadcast, STK commands & Fax.

For further information please contact your distributor or our customer care team at M2MCare@motorola.com.